UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/775,975	02/02/2001	Hisako Koyanagi	FUJI 18.299	7264

26304	7590	03/08/2005

KATTEN MUCHIN ZAVIS ROSENMAN
575 MADISON AVENUE
NEW YORK, NY 10022-2585

EXAMINER
HSU, ALPUS

ART UNIT	PAPER NUMBER
2665	

DATE MAILED: 03/08/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address* --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on *14 October 2004*.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) *1-13* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☒ Claim(s) *9* is/are allowed.

6)☒ Claim(s) *1-8 and 10-13* is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☐ The drawing(s) filed on _____ is/are: a)☐ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☒ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4)☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

Claim Rejections - 35 USC § 102

1.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless --
>
> (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2.   Claims 1-3 and 10-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Kitai et

al. in U.S. Patent No. 5,948,069 (of record).

        Referring to claim 1, Kitai et al. disclose a data transmission apparatus transmitting data

received from a user terminal device (Client, see Figure 3, #301) through a plurality of networks

(see column 6, lines 4-19) to a destination (Server, see Figure 3, #3000), said user terminal

device executing communication using an Internet protocol (see column 6, lines 28-32), said data

transmission apparatus comprising: a routing table (Routing Table, see Figure 1, #61a, #61b,

#61c) storing information relating to a destination address (see Figure 1, #180) of the data and

address of the plurality of networks (see Figure 1, #70-#76); an information table (Network I/F

Information Table and QOS Control Table, see Figure 1, #73 & #85) storing static and dynamic

information about the plurality of networks, the dynamic information including information

provided from an external information source (see column 3, lines 43-47); and a selection unit

(Selector, see Abstract; see column 6, lines 20-21) selecting one or the plurality of networks,

through which said data transmission apparatus transmits the data to the destination, based on

said static and dynamic information (see Abstract; see column 7, lines 44-48; and see column 9,

lines 6-33).

Referring to claim 2, Kitai et al. disclose that said information table stores the static and

dynamic information about a plurality of service classes included in a network (see Figure 1,

QoS Control Table), wherein said selection unit selects one or the plurality of service classes,

through which said data transmission apparatus transmits the data to the destination, based on

said static and dynamic information about the plurality of service classes (see Abstract; see

column 7, lines 44-48; and see column 9, lines 6-33).

Referring to claim 3, Kitai et al. disclose that a part or all of the plurality of networks

include a plurality of service classes (see column 6, lines 48-63), wherein said selection unit

selects a service class included in a network, through which said data transmission apparatus

transmits the data to the destination, based on the static and dynamic information about the

plurality of networks and of the plurality of service classes (see Abstract; see column 7, lines 44-

48; and see column 9, lines 6-33).

Referring to claim 10, Kitai et al. disclose a method of transmitting data from a user

terminal device (Client, see Figure 3, #301) through a plurality of networks (see column 6, lines

4-19) to a destination (Server, see Figure 3, #3000), said user terminal device executing

communication using an Internet protocol (see column 6, lines 28-32), said method comprising

the steps of: storing information relating a destination address (see Figure 1, #180) of the data

and addresses of the plurality of networks (see Figure 1, #70-#76) in a routing table (Routing

Table, see Figure 1, #61a, #61b, #61c); storing static and dynamic information about the plurality

of networks in an information table (Network I/F Information Table and QOS Control Table, see

Figure 1, #73 & #85), the dynamic information including information provided from an external

information source (see column 3, lines 43-47); and selecting one or the plurality of networks,

through which the data is transmitted to the destination, based on said static and dynamic

information (see Abstract; see column 7, lines 44-48; and see column 9, lines 6-33).

Referring to claim 11, Kitai et al. disclose storing the static and dynamic information

about a plurality of service classes included in a network, in said information table (see Figure 1,

QoS Control Table); and selecting one or the plurality of service classes, through which the data

is transmitted to the destination, based on said static and dynamic information about the plurality

of service classes (see Abstract; see column 7, lines 44-48; and see column 9, lines 6-33).

Referring to claim 12, Kitai et al. disclose a transmission apparatus transmitting data

received from a user terminal (Client, see Figure 3, #301) through a plurality of networks (see

column 6, lines 4-19) to a destination (Server, see Figure 3, #3000), said user terminal executing

communication using an Internet protocol (see column 6, lines 28-32), said transmission

apparatus comprising: means for storing information relating a destination address (see Figure 1,

#180) of the data and addresses of the plurality of networks (Routing Table, see Figure 1, #61a,

#61b, #61c); means for storing static and dynamic information about the plurality of networks

(Network I/F Information Table and QOS Control Table, see Figure 1, #73 & #85), the dynamic

information including information provided from an external information source (see column 3,

lines 43-47); and means for selecting at least one of the plurality of networks, through which said

transmission apparatus transmits the data to the destination, based on said static and dynamic

information (Selector, see Abstract; see column 6, lines 20-21, see column 7, lines 44-48, and see

column 9, lines 6-33).

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in
> section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are
> such that the subject matter as a whole would have been obvious at the time the invention was made to a person
> having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the
> manner in which the invention was made.

4.   Claims 4-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kitai et al. in

U.S. Patent No. 5,948,069 in view of Arunachalam et al. in U.S. Patent No. 6,631,122 (both of

records).

Referring to claim 4, Kitai et al. differ from the claim, in that they fail to disclose a

monitoring unit monitoring conditions of said plurality of networks, wherein said selection unit

changes the service class if said monitoring unit detects a change in the conditions of said

plurality of networks. However, changing service class in response to a change of network

conditions in an IP network is old and well known in the art. For example, Arunachalam et al.

teach just such a method (see column 11, lines 39-61), which has the advantage of enabling the

network to provide service to as many users as possible. One skilled in the art would have

recognized the advantage of changing the service class in response to a change of network

conditions as taught by Arunachalam et al. Therefore, it would have been obvious to a person

with ordinary skill in the art at the time of the invention to incorporate the changing of service

class in response to a change of network conditions as taught by Arunachalam et al. into the

invention of Kitai et al. to achieve the advantage of enabling the network to provide service to as

many users as possible.

Referring to claim 5, Arunachalam et al. disclose a rewriting unit rewriting said routing

table by referring to said information table if the dynamic information stored in said information

table is changed as a result of detection of the change in the conditions of said plurality of

networks (see column 11, lines 39-61).

Referring to claim 6, Arunachalam et al. disclose that said monitoring unit obtains the

dynamic information about said plurality of networks from network information disclosed by

said plurality of networks (see column 11, lines 39-61).

Referring to claim 7, Arunachalam et al. disclose that said monitoring unit obtains the

dynamic information about said plurality of networks by transmitting a packet for collecting

network information (see column 11, lines 39-61).

Referring to claim 8, Kitai et al. disclose the transmission of message packet to the

destination for collecting the network information, receives an acknowledgement from the

destination in response to the message packet, and obtains communication traffic information

about the plurality of networks as the dynamic information about the plurality of networks to the

destination, in an TCP/IP communication (see column 6, lines 30-32, column 7, lines 30-38, 56-

60). Arunachalam et al. disclose the use of monitoring unit to obtain the dynamic information

about said plurality of networks by transmitting a packet for collecting network information (see

column 11, lines 39-61). Since the use of TCP/IP messages to perform network monitoring is

old and well known in the art, it would have been obvious to one of ordinary skill in the art to

adopt the use of monitoring unit in Arunachalam et al. in the system of Kitai et al. to transmit a

message packet to the destination for collecting the network information, receives an

acknowledgement from the destination in response to the message packet, and obtains

communication traffic information about the plurality of networks as the dynamic information

about the plurality of networks to the destination, in an TCP/IP communication to achieve the

advantage of utilizing standard TCP/IP elements to perform network monitoring.

5.   Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kitai et al. in

U.S. Patent No. 5,948,069 (of record) in view of Itjeshorst in U.S. Patent No. 6,529,483 (newly

cited).

Referring to claim 13, Kitai et al. differ from the claim, in that they fail to disclose the

dynamic information includes information about a data transmission speed and data transmission

fee of each network, and the selection unit selects at least one network, considering a priority

between a data transmission speed and data transmission fee, which is well known

communications parameters in the art for communications network design. Itjeshorst, for

example, from the similar field of endeavor, teaches the selection of network, considering a

priority between a data transmission speed and data transmission fee (see column 6, lines 16-40,

column 11, lines 2-25), which can be easily adopted by one of ordinary skill in the art into the

system of Kitai et al. to conform with conventional network design specification and

requirements.

Allowable Subject Matter

6.   Claim 9 is allowed.

Response to Arguments

7.   Applicant's arguments filed 14 October, 2004 have been fully considered but they are not

persuasive.

In the remark, the applicant mainly argues that Kitai reference does not disclose or

suggest that the network interface information table stores dynamic information about the

plurality of networks, including information provided from an external information source, and

that at least one network is selected based on the dynamic information. The examiner disagrees

since it is the examiner's intention to combine the network interface information table and QOS

control table to meet the claimed information table, which clearly stores the statistical

information about the bandwidth of a virtual channel (static information), and the dynamic load

to refer to the table entries of QOS control table (dynamic information) for network selection.

Therefore, the rejections under 35 U.S.C. 102(b) and 103 (a) have been sustained.

Conclusion

8.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time

policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

9.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Alpus H. Hsu whose telephone number is (571)272-3146. The

examiner can normally be reached on M-F (5:30-3:00) First Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Huy D. Vu can be reached on (571)272-3155. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AHH

Alpus H. Hsu
Primary Examiner
Art Unit 2665